


IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Membership Publications/Services Standards Conferences Careers/Jobs

IEEE Xplore®
 RELEASE 1.6

 Welcome
 United States Patent and Trademark Office

[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)
[Quick Links](#)

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

[Search Results](#) [\[PDF FULL-TEXT 424 KB\]](#) [PREV](#) [NEXT](#) [DOWNLOAD CITATION](#)


Architecture for IP mobility

Khalil, M. Pillai, K.

IP Mobility Group, Nortel Networks, Richardson, TX, USA;

*This paper appears in: **Emerging Technologies Symposium: Broadband, Internet Access, 2000 IEEE***

Meeting Date: 04/10/2000 - 04/11/2000

Publication Date: 10-11 April 2000

Location: Richardson, TX USA

On page(s): 5 pp.

Reference Cited: 11

Number of Pages: 212

Inspec Accession Number: 6965060

Abstract:

The Mobile IP protocol specifies an IP mobility solution for both IPv4 and IPv6 introduces the concept of a home agent (HA) and a foreign agent (FA) which are essential pieces in the architecture. The main goal is to achieve seamless mobile node moves from its home subnet to any other point of attachment. Mobile IP, however, has limitations with routing, handoff, and security. The IP mobility architecture proposed in this paper is a high level architecture derived from the Mobile IP architecture that compensates for its limitations. This architecture introduces the concept of a mobility manager (SMM) in the serving network and a home mobility manager in the home network of the mobile user, among other additional components. The framework provides security through IPSec along both the data and the control plane. It also provides a mechanism for improving handoffs. IPM provides seamless application layer mobility for upper layer protocols such as SIP (Session Initiation Protocol) a signaling protocol for controlling sessions such as Internet multimedia conferences, Internet telephone calls and multimedia distribution.

Index Terms:

[Internet](#) [land mobile radio](#) [multimedia communication](#) [software agents](#) [software architecture](#) [telecommunication network management](#) [telecommunication network routing](#) [telecommunication security](#) [telecommunication signalling](#) [transport protocols](#) [IP mobility architecture](#) [IP](#) [IPv6](#) [Internet multimedia conferences](#) [Internet telephone calls](#) [Mobile IP protocol](#) [Session Initiation Protocol](#) [foreign agent](#) [handoff](#) [home agent](#) [home mobility manager](#) [home subnet](#) [mobile node](#) [multimedia distribution](#) [routing](#) [seamless application layer](#)

[security](#) [serving mobility manager](#) [serving network](#) [signaling protocol](#) [upper layer pr](#)

Documents that cite this document

There are no citing documents available in IEEE Xplore at this time.

[Search Results](#) [\[PDF FULL-TEXT 424 KB\]](#) [PREV](#) [NEXT](#) [DOWNLOAD CITATION](#)


[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Membership Publications/Services Standards Conferences Careers/Jobs

IEEE Xplore®
RELEASE 1.6Welcome
United States Patent and Trademark Office[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)[Quick Links](#)

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

[Search Results](#) [\[PDF FULL-TEXT 428 KB\]](#) [PREV](#) [NEXT](#) [DOWNLOAD CITATION](#)Request Permissions
RIGHTSLINK
COPYRIGHT CLEARANCE CENTER, INC.

An architecture of distributed media servers for supported guaranteed QoS and media indexing

[Feng Cao](#) [Smith, J.](#) [Takahashi, K.](#)

Cisco Syst. Inc., San Jose, CA, USA ;

*This paper appears in: **Multimedia Computing and Systems, 1999. IEEE International Conference on***

Meeting Date: 06/07/1999 - 06/11/1999

Publication Date: 7-11 June 1999

Location: Florence Italy

On page(s): 1 - 5 vol.2

Volume: 2

Reference Cited: 6

Number of Pages: 2 vol. (xlix+909+1127)

Inspec Accession Number: 6331285

Abstract:

In a distributed multimedia system, multimedia sessions may get involved with media servers for the retrieval of the media data or the creation of new multimedia documents. To provide the guaranteed Quality of Service (QoS) to real-time applications such as continuous media transfers, the system resources in the media server are reserved to avoid contention during execution time. Media indexing is also needed to support searching the media data in such a distributed environment and to provide necessary information about the usage of system resources for delivering the data. Due to the overhead, a centralized approach of scheduling all the requests for searching all the media data from only one agent is not efficient, and not scalable. In this study, we propose a new architecture, dividing the media servers into multiple groups of the right size. Within each group, there is a registration agent and an index agent that take care of the resource reservation, membership management, media indexing, searching, and load balancing. We demonstrate how to provide the guaranteed scheduling the requests among the multiple groups, and show the collaboration among the registration agents and the index agents inside and outside a group. The multimedia servers can fit in this architecture by the updates of membership status by the registration agents. The new IETF drafts such as **SIP**, RTSP and RTP are embedded in this architecture to support the general multiparty multimedia applications for media streams.

Index Terms:

[database indexing](#) [distributed processing](#) [multimedia computing](#) [multimedia servers](#) [service](#) [real-time systems](#) [resource allocation](#) [scheduling](#) [IETF](#) [Quality of Service](#) [approach](#) [continuous media transfers](#) [distributed media servers](#) [distributed multimed](#) [execution time](#) [index agent](#) [load balancing](#) [media indexing](#) [membership managem](#) [media servers](#) [multiparty multimedia applications](#) [multiple media servers](#) [real-time a](#) [registration agent](#) [resource reservation](#) [scheduling](#) [searching](#)

Documents that cite this document

Select link to view other documents in the database that cite this one.

[Search Results](#) [\[PDF FULL-TEXT 428 KB\]](#) [PREV](#) [NEXT](#) [DOWNLOAD CITATION](#)

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Membership Publications/Services Standards Conferences Careers/Jobs

IEEE Xplore®
 RELEASE 1.6

 Welcome
 United States Patent and Trademark Office

[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)
[Quick Links](#)

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

[Search Results](#) [\[PDF FULL-TEXT 112 KB\]](#) [PREV](#) [NEXT](#) [DOWNLOAD CITATION](#)


VoIP in applications for wireless access

Kanter, T. Olrog, C.

Ericsson Radio Syst. AB, Stockholm, Sweden;

This paper appears in: Local and Metropolitan Area Networks, 1999. Selected Papers. 10th IEEE Workshop on

Meeting Date: 11/21/1999 - 11/24/1999

Publication Date: 21-24 Nov. 1999

Location: Sydney, NSW Australia

On page(s): 122 - 125

Reference Cited: 6

Number of Pages: v+141

Inspec Accession Number: 7037038

Abstract:

Voice over IP (or VoIP) is a common term to refer to the different protocols that transport realtime voice and video and the necessary signaling by means of Internet Protocol (IP). H.323 is an ITU-T standard for real-time voice and video communication over packet networks. During the past two years it has become standard on the Internet for VoIP. Another relatively recent alternative example (Session Initiation Protocol) for establishing multimedia sessions, that has been as an RFC by the IETF. The cost to transmit digital information end-to-end is dramatically, while there has been a tremendous increase in the available bandwidth only has this been true in backbone networks, it has become the trend in access networks for both fixed and wireless access. The price/performance of end-user electronics is dropping while, at the same time, there has been a tremendous computational power. As far as personal communication and mobility is concerned, we are in the position to create new applications and services that go far beyond telephony systems have been concerned with and able to accomplish. One of the contributing factors is the Internet Protocol, which allows these new applications to benefit from the fact that end-user devices are now able to use multiple services over a single access. The result is that we are now able to build new interactive services, which can combine both voice and data simultaneously.

Index Terms:

[Internet telephony](#) [protocols](#) [radio access networks](#) [standards](#) [H.323](#) [Internet Protocol](#) [Initiation Protocol](#) [VoIP](#) [interactive services](#) [multimedia sessions](#) [wireless access](#)

Documents that cite this document

There are no citing documents available in IEEE Xplore at this time.

[Search Results](#) [\[PDF FULL-TEXT 112 KB\]](#) [PREV](#) [NEXT](#) [DOWNLOAD CITATION](#)

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved



Advanced Groups Search

[Groups Help](#) | [About Google](#)

Find messages	with all of the words	<input type="text" value="SIP"/>	10 messages <input type="button" value="v"/>
	with the exact phrase	<input type="text" value="Home network"/>	Sort by relevance <input type="button" value="v"/>
	with at least one of the words	<input type="text"/>	<input type="button" value="Google Search"/>
	without the words	<input type="text"/>	

Newsgroup	Return only messages from the newsgroup	<input type="text"/> (Example: rec.games.misc, comp.os.*, *linux*)
Subject	Return only messages where the subject contains	<input type="text"/>
Author	Return only messages where the author is	<input type="text"/>
Message ID	Find the message with message ID	<input type="text"/> (Example: moderated-ng-faq-1-983174581@swcp.com)
Language	Return messages written in	<input type="text" value="any language"/> <input type="button" value="v"/>
Message Dates	<input checked="" type="radio"/> Return messages posted:	<input type="text" value="anytime"/> <input type="button" value="v"/>
	<input type="radio"/> Return messages posted between	<input type="text" value="12"/> <input type="button" value="v"/> <input type="text" value="May"/> <input type="button" value="v"/> <input type="text" value="1981"/> <input type="button" value="v"/> and <input type="text" value="19"/> <input type="button" value="v"/> <input type="text" value="Apr"/> <input type="button" value="v"/> <input type="text" value="2004"/> <input type="button" value="v"/>
SafeSearch	<input checked="" type="radio"/> No filtering <input type="radio"/> Filter using SafeSearch	

©2004 Google


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#)^{New!} [more »](#)

SIP "Home network"

Search

[Advanced Groups Search](#)
[Preferences](#)

12 May 1981 - 31 Jan 2001

Groups Results 1 - 10 of about 43 from May 12, 1981 to Jan 31, 2001 for **SIP "Home network"**. (0.64 seconds)

Sorted by relevance [Sort by date](#)

Related groups: [alt.startrek.creative.erotica.moderated](#)
[rec.travel.europe](#)
[Sponsored Links](#)

ICNP'99 (Toronto), Call for Registration

... MGCP Interoperation with the PSTN architectures: bridging or tunneling SIP-to-ISUP ... Home Agents - Foreign Agents - How to set up a **home network** - Getting Care ...
[ucb.digital-video](#) - Sep 17, 1999 by Terry Todd - [View Thread](#) (1 article)

ZipGlobal long distance

\$39.95/month call US, Canada, HK, China for 0¢/min. Free local number
[www.zipglobal.com](#)

REPOST: Re: CFD: UDP of mci2000

... 194.234 NNTP-Posting-Date: Sat, 15 Aug 1998 18:42:52 PDT
Organization: **@Home Network** Super Seed! ... ypq cfnl ala vhoh uj ubk yddi xlg alyk uwge rb yrdt sip oh spe ...
[news.admin.net-abuse.usenet](#) - Aug 15, 1998 by Lysander Spooner - [View Thread](#) (27 articles)

Save Thousands

Building your own **home**. Ameripanel Homes, Structural Insulated Panels.
[www.ameripanel.com](#)

VoIP Technology News

SIP Phones, Free VoIP services Vonage, Avaya, Nortel, Cisco, etc.
[www.thevoipreport.com](#)

Ireland - Travel FAQ

... 1-800 55 00 44 Deutsche Telekom 1-800 55 00 49 Italia (**SIP**) 1-800 ... for incoming and outgoing voice calls, and the receipt of SMS messages via your **home network**. ...
[rec.travel.europe](#) - Aug 9, 1995 by Richard Barry - [View Thread](#) (2 articles)

Set Up a Home Network

Share broadband, files and printers Graphics-packed guide, only \$14.99
[www.pcguidebook.com](#)
[See your message here...](#)

Ireland FAQ for Visitors, Tourists, etc. 1/2

... 0800 890030 H-Hungary Tel 1-800 55 00 36 0800 890036 I-**SIP** 1-800 ... for incoming and outgoing voice calls, and the receipt of SMS messages via your **home network**. ...
[rec.travel.europe](#) - Apr 27, 1996 by Richard Barry - [View Thread](#) (14 articles)

40th IETF-WASHINGTON, DC: AGENDA

... Routing WG SEC tIs Transport Layer Security WG TSV sipTel **SIP** for IP ... Interes Fred Baker/Cisco Systems INT Internet Jeffrey Burgan **@Home Network** and Thomas ...
[muc.lists.ietf](#) - Nov 26, 1997 by agenda@ns.ietf.org - [View Thread](#) (2 articles)

Technical objections -- Mobility

... used for the Mobile-Home Authentication.) Although my early drafts (for **SIP** and Mobile ... MUST be a router between the Internet and the stub **home network**, and only ...
[info.ietf](#) - Mar 20, 1996 by William Allen Simpson - [View Thread](#) (8 articles)

NEW: VOY: "The Shape of Things to Come" (NC-17, P/K, ??) 9/13

... Sep 1998 06:36:08 GMT From: mykkhal@bigfoot.com (Mykkhal) Organization: **@Home Network** To: alt ... reports from all over the ship." The captain stopped to sip at her ...
[alt.startrek.creative.erotica.moderated](#) - Sep 10, 1998 by Mykkhal - [View Thread](#) (1 article)

Re: WndrGr!s Parting Shot

... accessing the web outside of the company servers and not even through **SIP** / EL ...
PST) NNTP-Posting-Date: Wed, 29 Mar 2000 18:04:11 PST Organization: **@Home**

Network

[alt.cellular.sprintpcs](#) - Apr 3, 2000 by Bob Smith - [View Thread \(90 articles\)](#)

NEW: VOY: "The Shape of Things to Come" (NC-17 P/K ?/?) 8/13

... 1998 06:36:07 GMT From: mykkhal@bigfoot.com (Mykkhal) Organization: **@Home Network** To: alt ... Captain." "Have a seat, Ensign." He watched her take a sip of coffee ...

[alt.startrek.creative.erotica.moderated](#) - Sep 10, 1998 by Mykkhal - [View Thread \(1 article\)](#)

Re: Proof that Daniella Bryenton never were censored, or blocked ...

... Organization: **@Home Network**. ... Host: 216.154.5.102 ===== Date: Wed, 01 Nov 2000 23:59:30 GMT Message-ID: <8tqaot\$**sip**\$1@nnrp1 ...
[alt.religion.scientology](#) - Nov 11, 2000 by ©Anti-Cult® - [www.users.wineasy.se/noname/](#) - [View Thread \(8 articles\)](#)

Google ►

Result Page: 1 2 **[Next](#)**[Groups Help](#)

[Google Home](#) - [Advertising Products](#) - [Business Solutions](#) - [About Google](#)

©2004 Google